PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number:	WO 98/24049
G06K 7/10, 7/12, G06F 17/00	A1	(43) International Publication Date:	4 June 1998 (04.06.98)

(21) International Application Number: PCT/US97/21443 (74) Application Number:

(22) International Filing Date: 24 November 1997 (24.11.97)

(30) Priority Data: US 08/753,367 25 November 1996 (25.11.96) 08/820,540 19 March 1997 (19.03.97) US 08/846,219 25 April 1997 (25.04.97) US 08/869,164 4 June 1997 (04.06.97) US 08/887,785 3 July 1997 (03.07.97) US 11 July 1997 (11.07.97) 08/891,599 US 08/905,903 4 August 1997 (04.08.97) US 22 August 1997 (22.08.97) 08/916,694

(71) Applicant (for all designated States except US): METRO-LOGIC INSTRUMENTS, INC. [US/US]; Coles Road AT Route 42, Blackwood, NJ 08012 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): RUSSELL, Garrett [US/US]; 1137 Musket Road, Newark, DE 19713 (US). WILZ, David, M., Sr. [US/US]; 10 Union Way, Sewell, NJ 08080 (US). KNOWLES, Harry, Carl [US/US]; 425 E. Linden Street, Morristown, NJ 08057 (US).

(74) Agent: PERKOWSKI, Thomas, J.; Southview Plaza, 1266 East Main Street, Stamford, CT 06902 (US).

(81) Designated States: AL, AU, AZ, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, HU, IL, IS, IP, KP, KR, LC, LK, LR, LS, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: SYSTEM AND METHOD FOR CARRYING OUT INFORMATION-RELATED TRANSACTIONS

(57) Abstract

A novel transaction method and system, wherein a transaction Java—Applet is embedded within an HTML—encoded document stored in an HTTP server at predetermined URL. When a code symbol (8) encoded with the URL is read using a code symbol reader (7, 7A) interfaced with a Java—enabled Internet terminal, the corresponding HTML document is automatically accessed and displayed at the terminal, and the transaction Java—Applet initiated for execution so that the customer, consumer or client desiring the transaction can simply and conveniently conduct the information—related transaction over the Internet. The transaction—enabling Internet terminal (3) can be in the form of an Internet kiosk installed in a public location, in the manner as conventional ATMs.

